L Number	Hits	Search Text	DB	Time stamp
-	5	("4757463" "5010551" "5652754" "6070253" "6115656").pn.	USPAT; US-PGPUB	2003/11/06 16:02
-	8	intermittent with aberrant	USPAT; US-PGPUB	2003/06/26 15:02
-	0	(intermittent with aberrant) and monitor$3 and (sens$3 with characteristic)	USPAT; US-PGPUB	2003/06/26 14:56
-	3	(intermittent with aberrant) and monitor$3 and sens$3 and calculat$3	USPAT; US-PGPUB	2003/06/26 14:57
-	0	((intermittent with aberrant) and monitor$3 and sens$3 and calculat$3) and stor$3 and fault	USPAT; US-PGPUB	2003/06/26 14:58
-	3	((intermittent with aberrant) and monitor$3 and sens$3 and calculat$3) and stor$3	USPAT; US-PGPUB	2003/06/26 14:58
-	2	((intermittent with aberrant) and monitor$3 and sens$3 and calculat$3) and stor$3 and fail	USPAT; US-PGPUB	2003/06/26 14:59
-	0	(aberrant with machine) and (communication with data) and (service with personnel)and failure and (alert$3 or warn$3)	USPAT; US-PGPUB	2003/06/26 15:08
-	0	(aberrant with machine) and (communication with data) and (service with personnel)and failure	USPAT; US-PGPUB	2003/06/26 15:08
-	1	(aberrant with machine) and (service with personnel)and failure	USPAT; US-PGPUB	2003/07/02 12:45
-	0	10/056495	USPAT; US-PGPUB	2003/06/26 15:23
-	11	aberrant with machine	USPAT; US-PGPUB	2003/07/02 12:50
-	7	("5887216" "5511183" "5214595" "5043655" "5027285" "4751653" "4728885").pn.	USPAT; US-PGPUB	2003/06/26 16:04
-	1	5887216.pn.	USPAT; US-PGPUB	2003/07/02 12:45
-	1	5053815.pn.	USPAT; US-PGPUB	2003/07/02 12:58
-	0	((real with time) same (statiscal with calculat$4)) and (stor$3 with data with calculat$4) and (indicat$4 with (fault or fail$3))	USPAT; US-PGPUB	2003/07/02 13:10
-	3	((real with time) same (statistical with calculat$4)) and (stor$3 with data with calculat$4) and (indicat$4 with (fault or fail$3))	USPAT; US-PGPUB	2003/07/02 14:56
-	0	(real with time with statiscal with calculat$4) and stor$3 and (indicat$4 with (fault or fail$3))	USPAT; US-PGPUB	2003/07/02 14:57
-	9	(real with time with statistical with calculat$4) and stor$3 and (indicat$4 with (fault or fail$3))	USPAT; US-PGPUB	2003/07/04 16:30
-	0	((real with time with statistical with calculat$4) and stor$3 and (indicat$4 with (fault or fail$3))) and encode$3 and timing	USPAT; US-PGPUB	2003/07/02 15:05
-	0	((real with time with statistical with calculat$4) and stor$3 and (indicat$4 with (fault or fail$3))) and encode$3	USPAT; US-PGPUB	2003/07/02 15:05
-	0	(real with time with statistical with calculat$4) and (pulse with width with modulation)	USPAT; US-PGPUB	2003/07/02 15:29
-	26	(real with time) and (statistical with calculat$4) and (pulse with width with modulation)	USPAT; US-PGPUB	2003/07/02 15:16
-	5	((real with time) and (statistical with calculat$4) and (pulse with width with modulation)) and (fault with detect$3)	USPAT; US-PGPUB	2003/07/02 15:17
-	5	(((real with time) and (statistical with calculat$4) and (pulse with width with modulation)) and (fault with detect$3)) and sensor	USPAT; US-PGPUB	2003/07/04 14:38
-	0	(("4757463" "5010551" "5652754" "6070253" "6115656").pn.) and calculat$3 and statistical and stor$3 and (fault or fail$3) and code	USPAT; US-PGPUB	2003/07/02 15:27
-	0	(("4757463" "5010551" "5652754" "6070253" "6115656").pn.) and calculat$3 and statistical and stor$3 and (fault or fail$3)	USPAT; US-PGPUB	2003/07/02 15:27

C:\APPS\EAST\Workspaces\10056495.wsp

-	2	702/$.ccls. and (real with time with statistical with calculat$4) and ((fail$3 or fault) with detect$3)	USPAT; US-PGPUB	2003/07/03 16:04
-	1	(702/$.ccls. and (real with time with statistical with calculat$4) and ((fail$3 or fault) with detect$3)) and sens$3 and stor$3	USPAT; US-PGPUB	2003/07/03 18:08
-	16	("3710302" | "4066960" | "4371908" | "4720802" | "4783748" | "5463749" | "5561610" | "5619014" | "5650936" | "5682888" | "5736847" | "5902934" | "6014465" | "6182022" | "6185508" | "6256594").PN.	USPAT	2003/07/03 14:50
-	1	(("3710302" | "4066960" | "4371908" | "4720802" | "4783748" | "5463749" | "5561610" | "5619014" | "5650936" | "5682888" | "5736847" | "5902934" | "6014465" | "6182022" | "6185508" | "6256594").PN.) and encode$2 and timing	USPAT; US-PGPUB	2003/07/03 14:51
-	1	(("4757463" "5010551" "5652754" "6070253" "6115656").pn.) and encode$2 and (timing or clock)	USPAT; US-PGPUB	2003/07/03 15:18
-	0	(("4757463" "5010551" "5652754" "6070253" "6115656").pn.) and encoder	USPAT; US-PGPUB	2003/07/03 15:18
-	1	(("4757463" "5010551" "5652754" "6070253" "6115656").pn.) and encod$2	USPAT; US-PGPUB	2003/07/03 15:18
-	0	(real with time with statistical with calculat$4) and ((fail$3 or fault) with detect$3) and encoder and clock	USPAT; US-PGPUB	2003/07/03 16:05
-	12	(statistical with calculat$4) and ((fail$3 or fault) with detect$3) and encoder and clock	USPAT; US-PGPUB	2003/07/04 13:44
-	5	((statistical with calculat$4) and ((fail$3 or fault) with detect$3) and encoder and clock) and sensor	USPAT; US-PGPUB	2003/07/03 17:27
-	48	((fail$3 or fault) with detect$3) and (sens$3 with characteristic) and (encoder with timing)	USPAT; US-PGPUB	2003/07/03 17:32
-	6	(((fail$3 or fault) with detect$3) and (sens$3 with characteristic) and (encoder with timing)) and servo	USPAT; US-PGPUB	2003/07/03 17:32
-	5	((((fail$3 or fault) with detect$3) and (sens$3 with characteristic) and (encoder with timing)) and servo) and tolerance	USPAT; US-PGPUB	2003/07/03 17:33
-	0	((serial adj control adj bus) with retrieve with data)	USPAT; US-PGPUB	2003/07/03 18:12
-	130	serial adj control adj bus	USPAT; US-PGPUB	2003/07/03 18:16
-	7	(serial adj control adj bus) and (retrieve with data)	USPAT; US-PGPUB	2003/07/03 18:13
-	4	(serial adj control adj bus) and ((fail$3 or fault) with detect$3) and encoder	USPAT; US-PGPUB	2003/07/03 18:17
-	1	(statistical with calculat$4) and ((fail$3 or fault) with detect$3) and encoder and clock and (data with point with range)	USPAT; US-PGPUB	2003/07/04 14:28
-	5280	(communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)	USPAT; US-PGPUB	2003/07/04 14:44
-	1065	((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)	USPAT; US-PGPUB	2003/07/04 14:33
-	0	(((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)) and (aberrant with machine)	USPAT; US-PGPUB	2003/07/04 14:34
-	24	(((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)) and (motor with encoder)	USPAT; US-PGPUB	2003/07/04 14:34
-	24	((((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)) and (motor with encoder)) and sensor	USPAT; US-PGPUB	2003/07/04 14:35
-	13	(((((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)) and (motor with encoder)) and sensor) and (power with supply) and voltage	USPAT; US-PGPUB	2003/07/04 14:38

C:\APPS\EAST\Workspaces\10056495.wsp

-		6	((((((((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)) and (motor with encoder)) and sensor) and (power with supply) and voltage) and (timing with function)) and (pulse with width with modulation)	USPAT; US-PGPUB	2003/07/04 14:56
-		0	(communicat$3 with data) same (machine with operat$3) same (use or personnel) same (alert$3 with user)	USPAT; US-PGPUB	2003/07/04 14:46
-		3	(communicat$3 with data) same (machine with operat$3) same (user or personnel) same alert$3	USPAT; US-PGPUB	2003/07/04 14:47
-		23	alert$3 same user same (value or threshold) same reach$2 same (failure or fault)	USPAT; US-PGPUB	2003/07/04 15:42
-		0	(alert$3 same user same (value or threshold) same reach$2 same (failure or fault)) and (communication with data) and (machine with operat$3)	USPAT; US-PGPUB	2003/07/04 14:59
-		2	(alert$3 same user same (value or threshold) same reach$2 same (failure or fault)) and (communication with data) and machine and operat$3	USPAT; US-PGPUB	2003/07/04 15:00
-		0	(alert$3 same user same (value or threshold) same reach$2 same (failure or fault)) and (motor with encoder)	USPAT; US-PGPUB	2003/07/04 15:48
-		7	(alert$3 same user same (value or threshold) same reach$2 same (failure or fault)) and (power with supply) and voltage	USPAT; US-PGPUB	2003/07/04 15:48
-		7	((((((communicat$3 with data) and remote$3 and (failure or fail) and alert$3 and (user or personnel)) and (machine with operat$3)) and (motor with encoder)) and sensor) and (power with supply) and voltage) and (timing with function)	USPAT; US-PGPUB	2003/07/04 16:54
-		62	((fail or failure or fault) with detect$3) and (timing with function) and (motor with encoder)	USPAT; US-PGPUB	2003/07/04 17:00
-		0	(((fail or failure or fault) with detect$3) and (timing with function) and (motor with encoder)) and (comunication with data)	USPAT; US-PGPUB	2003/07/04 16:56
-		0	(((fail or failure or fault) with detect$3) and (timing with function) and (motor with encoder)) and comunication and alert$3	USPAT; US-PGPUB	2003/07/04 16:57
-		11	(((fail or failure or fault) with detect$3) and (timing with function) and (motor with encoder)) and communication and alert$3	USPAT; US-PGPUB	2003/07/04 16:57
-		17	((fail or failure or fault) with detect$3) and (timing with function) and (motor with encoder) and (pulse with width with modulation)	USPAT; US-PGPUB	2003/07/04 17:25
-		2	(((fail or failure or fault) with detect$3) and (timing with function) and (motor with encoder) and (pulse with width with modulation)) and ((product$3 or record$3 or monitor$3) same(pulse with width with modulation))	USPAT; US-PGPUB	2003/07/04 17:55
-		783	servo with tolerance	USPAT; US-PGPUB	2003/11/06 16:37
-		1	servo adj3 require adj3 tolerance	USPAT; US-PGPUB	2003/07/04 17:56
-		4	(monitor$3 with encoder with timing) and (servo with encoder) and tolerance	USPAT; US-PGPUB	2003/11/06 16:03
-		152	(servo with tolerance) and encoder	USPAT; US-PGPUB	2003/11/06 16:30
-		28	((servo with tolerance) and encoder) and (indicat$3 with fault)	USPAT; US-PGPUB	2003/11/06 16:30
-		42	servo with tolerance with range	USPAT; US-PGPUB	2003/11/06 18:08
-		19	(servo near2 encoder) and (tolerance with range)	USPAT; US-PGPUB	2003/11/06 18:20
-		24	(servo with tolerance with range) and (servo with motor)	USPAT; US-PGPUB	2003/11/06 18:31
-		0	(servo near2 encoder) and (tolerance with "%")	USPAT; US-PGPUB	2003/11/06 18:25

-	0	servo same (encoder with tolerance with "%")	USPAT; US-PGPUB	2003/11/06 18:22
-	0	(servo with motor) and (encoder with tolerance with "%")	USPAT; US-PGPUB	2003/11/06 18:24
-	0	(servo near2 motor) and encoder and (tolerance with "%")	USPAT; US-PGPUB	2003/11/06 18:23
-	0	(servo with motor) and encoder and (tolerance with "%")	USPAT; US-PGPUB	2003/11/06 18:24
-	0	((servo with tolerance with range) and (servo with motor)) and "%"	USPAT; US-PGPUB	2003/11/06 18:25
-	20	(encoder near2 timing) and (servo with encoder) and tolerance	USPAT; US-PGPUB	2003/11/06 18:32
-	3	(encoder near2 timing) same (servo with encoder) same tolerance	USPAT; US-PGPUB	2003/11/06 18:38
-	2	702/$.ccls. and (encoder near2 timing) and (servo with encoder) and tolerance	USPAT; US-PGPUB	2003/11/06 18:38
-	18	(servo near2 motor) and (servo near2 encoder) and (encoder with timing) and tolerance	USPAT; US-PGPUB	2003/11/07 09:58
-	3	(servo near2 motor) and (servo near2 encoder) and (encoder with timing) and tolerance and controller and fault	USPAT; US-PGPUB	2003/11/07 10:11
-	4	(servo near2 encoder) and (encoder with timing) and (encoder with tolerance)	USPAT; US-PGPUB	2003/11/07 10:17
-	9	(servo with encoder with tolerance)	USPAT; US-PGPUB	2003/11/07 10:21
-	6	(servo with tolerance with percent$3)	USPAT; US-PGPUB	2003/11/07 11:13
-	1	(statistical with calculat$4) and (servo with tolerance) and encoder and fault	USPAT; US-PGPUB	2003/11/07 10:49
-	2	(servo with tolerance with percent$3) and encoder and tim$3	USPAT; US-PGPUB	2003/11/07 14:07
-	2	(servo with tolerance with percent$3) and encoder and tim$3 and point and range and count$3 and fall$3	USPAT; US-PGPUB	2003/11/07 14:08

C:\APPS\EAST\Workspaces\10056495.wsp